

CYBEX professional

# CYBEX cyclone™ series cycles

For those who demand uncompromising performance and results, only the CYBEX Cyclone series of cycles will satisfy the need. With three models of resistance and a resistance range from 15 to 900 watts these cycles are ideal for new users, general fitness and high performance training.



**CYBEX®**

# Cyclone™ -C Cycle

CYBEX

## Cyclone™ -C Cycle

- Three modes of bike operation and programming for added variety: bike mode (bike programs), constant power (fitness programs), accommodating resistance/isokinetic (speed programs) as well as Heart Rate Control and fit-test programs
- Optimal console placement positions the display in the rider's field-of-view and out of the path of sweat
- Proprietary seat design features a comfort groove and is shaped to fit the user
- Two-stage drive system with self-tensioning idlers and hybrid eddy-current self-generating brake provide high torque capabilities at lower brake speeds for smooth operation and an exceptionally wide resistance range of 15 to 900 watts
- Multi-position design of handlebars accommodates riding styles from upright to aero and is equipped with two sets of contact heart rate grips in addition to the standard Polar® compatible heart rate receiver
- Structural durability of frame allows for the most demanding user to experience a full and intense workout
- Forged three-piece superior mountain bike crank set for extreme durability
- Larger pedals to better accommodate any size foot

<b>Model Number</b>	<b>530C</b>
<b>Foot Print</b>	49" (124 cm) L x 23" (58 cm) W x 56" (142 cm) H
<b>Weight</b>	143 lb. (65 kg)



*Cyclone™ Cycles feature the Cybex hallmark split level design to simplify setup and provide the user with essential information. Upper display provides access to programming and graphic display of the session. Lower display provides time, speed and level control. Featured in between displays are a magazine rack and tabs to secure reading materials.*

ERGONOMICALLY DESIGNED GROOVE SEAT



OPTIMAL CONSOLE PLACEMENT

MULTIPLE PROGRAM MODES

# Cyclone™ -R Cycle

CYBEX



VENTED SEAT BACK AND OPTIMIZED SEAT BASE

MULTIPLE PROGRAM MODES

## Cyclone™ -R Cycle

- Three modes of bike operation and programming for added variety: bike mode (bike programs), constant power (fitness programs), accommodating resistance/isokinetic (speed programs) as well as Heart Rate Control and fit-test programs
- Unique semi-recumbent seat design features a seat back with a chimney-style vented surface and seat base with optimized shape to conform to a wide range of users
- Two-stage drive system with self-tensioning idlers and hybrid eddy-current self-generating brake provide high torque capabilities at lower brake speeds for smooth operation and an exceptionally wide resistance range of 15 to 900 watts
- Structural durability of frame allows for the most demanding user to experience a full and intense workout
- Forged three-piece superior mountain bike crank set for extreme durability
- Under display "grab handles" and seat mounted handlebars with contact heart rate grips

<b>Model Number</b>	<b>530R</b>
<b>Foot Print</b>	58" (148 cm) L x 25" (64 cm) W x 47" (119 cm) H
<b>Weight</b>	166 lb. (75 kg)



*Cyclone™ Cycles feature the Cybex hallmark split level design to simplify setup and provide the user with essential information. Upper display provides access to programming and graphic display of the session. Lower display provides time, speed and level control. Featured in between displays are a magazine rack and tabs to secure reading materials.*

# CYCLONE™ CYCLE SPECIFICATIONS

## Cyclone™ - C Cycle

(MODEL NUMBER 530C)



## Cyclone™ - R Recumbent Cycle

(MODEL NUMBER 530R)



### WORLD HEADQUARTERS

10 Trotter Dr. + Medway, MA 02053, USA  
 f 508.533.4300 + f 508.533.5500 + cybexintl.com

### CYBEX INTERNATIONAL, UK LTD.

Oak Tree House + Atherstone Road + Measham +  
 Swadlincote, Derbyshire, DE12 7EL UK  
 f 44.845.606.0228 + f 44.845.606.0227

For additional information about our Cyclone Cycles or any of our equipment lines, or to try any of our products yourself, please call 508.533.4300 or **774.324.8000** for the representative nearest you. Or visit our website, [cybexintl.com](http://cybexintl.com).

**CYBEX**  
[www.cybexintl.com](http://www.cybexintl.com)

### Unique to Cyclone™-C Cycle

<b>SEAT</b>	Proprietary design features a comfort groove and is shaped to fit the user
<b>HANDLEBARS</b>	Multi-position design accommodates riding styles from upright to aero and is equipped with two sets of contact heart rate grips in addition to the standard Polar® compatible heart rate receiver

### Unique to Cyclone™-R Recumbent Cycle

<b>SEAT</b>	Design features a seat back with a chimney-style vented surface and seat base with optimized shape to conform to a wide range of users
<b>HANDLEBARS</b>	Under display "grab handles" and seat mounted handlebars with contact heart rate grips

### Features common to Cyclone™-C and Cyclone™-R

<b>MODES OF OPERATION</b>	Constant Power, Bike Mode and Speed Controlled (Isokinetic)
<b>RESISTANCE RANGE</b>	Minimum—15 watts, Maximum—900 watts
<b>POWER</b>	Self-powered, optional AC adapter for full time display
<b>RESISTANCE TYPE</b>	Eddy-current brake with brushless internal generator provides high torque capabilities and minimal drag
<b>DRIVE TYPE</b>	Two stage drive system with self-tensioning idlers for exceptionally smooth operation and minimal mechanical drag
<b>CRANK TYPE</b>	165 mm, three-piece heavy-duty mountain bike
<b>PEDALS</b>	Extra wide with adjustable straps
<b>PORTABILITY</b>	Wheels on front for easy rolling
<b>DISPLAY DESIGN</b>	Split level with magazine rack tabs
<b>PROGRAMMING</b>	Quick Start, Manual, three Fitness (Constant Power) programs, three Bike (Bike Mode) programs, three Speed Controlled (Isokinetic) programs, Heart Rate Control and a Fitness Test. Programs have 21 levels.
<b>INFORMATION DISPLAYED</b>	Graphic display of profile via 7x15 dot matrix. Upper display may scan or select between distance, calories, calories/hour, METs, watts, rpm and heart rate including multi-color indication of heart rate range. Lower display shows time, road speed and level.
<b>HEART RATE MONITORING</b>	Polar® compatible chest strap for HR telemetry ( <i>chest strap not included</i> )
<b>CONNECTIVITY</b>	CSAFE (Fitlinxx® Level 3)
<b>FACILITY FEATURES</b>	Facility preference setup parameters and diagnostics
<b>MISCELLANEOUS</b>	Water bottle holder and utility tray
<b>REGULATORY COMPLIANCE</b>	ASTM, UL, CE, EN, CSA, FCC
<b>MAX USER WEIGHT</b>	400 lb. (181 kg)
<b>CUSTOMIZATION</b>	Choice of five standard colors or select from over 180 custom colors



Specifications subject to change • 3/07 • Actual color may differ from samples shown • BIOSIG INSTRUMENTS, INC. EMG/ECG heart rate technology • US Patent No. 5,337,753 and Canadian Patent No. 2,033,014